

MegaZine3 PageFlip Engine V1.38

First guided Steps

Content of this Tutorial

- How to get started?
- File Structure: what has to go where?
- Correct referencing: how to point to the data?
- Step-by-Step walk through a real Example
- How to read the doc?
- Basic settings: what has to be declared how?
- General structure and Concept
- How to prepare: naming conventions, sizes
- Typical concepts: single pages <—> pictures+Text
- Tips, Traps: what to do and what to avoid
- Outlook V2.0: new features

The greyed out topics will be discussed in future tutorials...

How to get started?

- What is needed to create a PageFlip Book?
 1. XML Editor of your choice, e.g. Notepad++ (free)
 2. A way to unzip, like Windows Vista or tools (WinZip, 7-Zip)
 3. The **MegaZine3 Binaries**
Follow the Link at <http://megazine.mightypirates.de>
under „downloads“
 4. Your Description about how to build the Book,
summarized in an XML file, the **megazine.xml**

- How can I publish my PageFlip Book?
 1. On your local PC (for tests)
 2. On a local Server, e.g. XAMPP / WAMP (for tests)
 3. On the Internet, i.e. a „real“ Server
 4. On a Medium like: CD, DVD, USB Stick, Memory Card

Where and how to install MZ3?

- Extract the MegaZine3 File you downloaded
 - Unzip the Files with tools like WinZip, 7-Zip
 - Read the text files (README, license information, general information)
 - Save everything to a Folder of your choice

Suggestion: Create a dedicated Path and Folder like

 - C:/my-books/
 - P:/my-books/


e.g. a path to a folder somewhere in your LAN; e.g. on another computer or a NAS (Network Attached Storage)

In that case it will best to create a network connection like in this case „P:“ to have comfortable and direct access to your PageFlip Books

Example File Structure for Binaries:
<http://my-books/mz3v138/bin/megazine/>

mz3v138


Root Directory for V1.38
In this example under
<http://my-books/mz3v138/>




MegaZine3
V1.38
Binaries

Example Files Structure for Books:

<http://my-books/mz3v138/mybook1-1/>
<http://my-books/mz3-V1.38/mybook1-2/>



PageFlip
Book 1



Other
PageFlip
Books

...

How to organize my files? (1)

- Keep your **MegaZine3 Binaries** in a folder that indicates the version number. In this case go with the default which is „mz3v138“

Suggested Structure (see previous overview):

- Root Directory: use „mz3v138“ as the root for all books using that version. This folder will be automatically created when you unzip the downloaded zip file with the Binaries.
- MegaZine3 Files (the Binaries)
 - Keep/leave them all under „bin“ in the mz3v138 folder
 - Move the sample files index.html and megazine.xml to your PageFlip Book folder (or delete them if you already created your own ones; see next pages)
 - Create a folder named „langs“ where you put all flags and language files you need. The download only comes with the flag.UK.gif .
 - You can find a folder named „langs“ with a pretty complete list of international flags under this link: [langs.zip](#)

How to organize my files? (2)

- Index File (the sample file provided with the Binaries is called index.html)
 - This is the starting point for your visitors. You should provide a link to that index file which will take them directly to the respective PageFlip Book.
 - We suggest to give it a different name than simply „index.html“ so you can have several index files pointing to different books
 - One little disadvantage is that you have to specify the full path to the index file; simply using the domain address will not work because the browser will only look for something starting with index (like index.html, index.htm, Index.php). For having the benefit of keeping several books on the same server using all the same MegaZine3 framework we think this is an acceptable compromise.
 - Suggestion: put it to the root node where all your MegaZine3 Books will be organized under. In our example we call that folder „my-books“


How to organize my files? (3)

- Keep your **PageFlip Book data** and MegaZine3 Binaries in separate folders
Suggested Structure (see previous overview):
 - Your PageFlip Books (the .xml file and the sources like images, ...)
 - Give the xml file that defines your book (a sample file is provided with the Binaries and called „megazine.xml“) a significant and unique name, like „vacation2009.xml“ or simply „mybook1-1.xml“ (as suggested in this tutorial). Put it in a folder that also holds all the data for that book (like mybook-11)
 - Save your content (images, videos, sound) in separate folders in a folder called „data“, e.g. this way:

Images	p:/mz3v138/mybook1-1/data/images/pic001.jpg
Videos	p:/mz3v138/mybook1-1/data/videos/vid01.fv4
Music	p:/mz3v138/mybook1-1/data/videos/snd01.mp3

Final Directory structure

If you followed all steps, your directory should look like this:



How should my index.html look like?

- Copy the sample index.html file from your MegaZine3 „bin“ folder to the root folder you want to point your visitors to; and give it a unique name.

Example:

<http://my-books/index-bali.html>

- Modify the file so it points to your PageFlip Book
See example on next page

Changes to the sample index.html

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
3
4 <head>
5
6 <title>mybook1-1</title>
7
8 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
9
10 <script type="text/javascript" src="mz3v138/bin/swfobject/swfobject.js"></script>
11 <script type="text/javascript" src="mz3v138/bin/swfaddress/swfaddress.js"></script>
12 <script type="text/javascript" src="mz3v138/bin/megazine/megazine.js"></script>
13 <script type="text/javascript">
14     swfobject.embedSWF("mz3v138/bin/megazine/megazine.swf", /* Path to the preloader.swf. You probably won't have to change this. You might want to cha
15         "megazine", /* Change this if you use another id for the div to display MegaZine. */
16         /* (1) */ /* This is the WIDTH of the element used to display MegaZine. */
17         /* (2) */ /* This is the HEIGHT of the element used to display MegaZine. */
18         "9.0.115", /* Required Flash Player version. You probably won't have to change this. */
19         "swfobject/expressInstall.swf", /* Path to the expressInstall.swf to upgrade Flash Player. You probably won't have to change this. */
20         {
21             xmlFile : "../..mybook1-1/megazine1-1.xml", /* Used to pass the name of the xml file to use. Path is relative to the swf! */
22             /* magazine.swf is located under mz3v138/bin/megazine/, which is the the reference location */
23             /* magazine1-1.xml here is located, as suggested in the tutorial, under mz3v138/mybook1/ */
24             /* Therefore the relative link has to go relatively up to levels first. This is achieved by ../.. */
25             /* Settings for liquid scaling. If minScale = maxScale liquid scaling is disabled. */
26             minScale : 1.0, /* Minimum scaling factor. Default is 1.0, i.e. the book can not get smaller than it's 100% size. */
27             maxScale : 1.0, /* Maximum scaling factor. Default is 1.0, i.e. the book can not get bigger than it's 100% size. */
28             top: "auto" /* Determines the height of the empty space above pages in pixels */
29         },
30         {
31             bgcolor : "#333333", /* This is the background color used for the Flash element. */
32             //wmode : "transparent", /* Remove the // to enable transparency (show HTML background). Not recommended if using videos. */
33             allowFullscreen : "true" /* Required for fullscreen mode. */
34         },
35         {id : "megazine"}); /* Required for SWFAddress and JavaScript interaction with the book. */
36 </script>

```

Set the correct path to preloader.swf File!
Example: „bin/megazine/preloader.swf“
(relative to this index file. If you followed my suggestions, the index file will be two levels under the preloader or magazine.swf.

Set the correct path to your .xml File!
Example: "../..mybook1/megazine1-1.xml"
(relative path: go up top levels to mz3v138, which is achieved by ../../
And then down to mybook1/ where magazine1-1.xml is located

How to create my megazine.xml?

- Copy the sample megazine.xml from the MegaZine3 „bin/megazine/“ folder to the folder you created specifically for the actual PageFlip Book you intend to build

In this Example: [mz3v138/mybook1/](#)

- Rename it so it matches the name you defined in the related index.html file

In this Example: [megazine1-1.xml](#)

- Download the same Framework and data for a sample PageFlip Book here:

<http://vservu.de/mz3/tut/my-books1.zip>

Example of a megazine1-1.xml

```

1  <?xml version="1.0" encoding="utf-8"?>
2  <!DOCTYPE book SYSTEM "http://megazine.mightypirates.de/megazine.dtd">
3
4  <!-- mybook1-1 -->
5
6  <book bgcolor="0xcccccc" dragrange="80" pagewidth="480" pageheight="370" lang="en,de" langpath="langs"
7      reflection="false" hidebuttons="fullscreen settings" zoominit="0">
8
9  <chapter>
10 <page stiff="true" foldfx="false"></img></page>
11
12 <page></page>
13
14 <page >
15 </img>
16 
17 <title lang="de">Typischen Reisterassen im Norden Balis in der Abendsonne</title>
18 <title lang="en">Typical rice terrasses in the Norhter part of Bali, close to sunset</title></img>
19
20 </page>
21
22 <page >
23 </img>
24 </img>
25 </page>
26
27 <page >
28 </img>
29 </img>
30 </page>
31
32 <page >
33 </img>
34 <vid src="../../mybook1-1/data/videos/V UW8.f4v" position="center middle"></vid>
35 </page>
36
37 <!-- <page >
38 </img>
39 </page-->
40
41 <page stiff="true" foldfx="false" >
42 
43 </page>
44
45 <page stiff="true" foldfx="false">  </page>
46
47 </chapter>
48
49 </book>

```

Remarks on the sample megazine.xml (1)

- The path to the language files has to be declared, because following the suggestions it is no longer in the folder „megazine“ (the default), but now in a separate folder called „langs“
- We do not allow full screen, because we are using the gallery feature which allows going into full screen with a click into the image.
- For performance reasons and also because we like it better the reflection of the thumbnails in the navigation bar is disabled.
- The first page is set to „stiff“ to avoid the rolling page and so simulating a hard cover. Additionally „foldfx“ is set to false to avoid the shadow effect in the middle of the book; as the hard cover page would not roll in the middle.
- In the declaration we set „Showbutton“ to false to disable the little spy glass symbol. This is not needed since a click into the image has the same result: going to full screen and presenting the gallery with the high resolution image.

Remarks on the sample megazine.xml (2)

- We define a path to a high resolution version of each image and declare that all images are part of the same gallery. With this we can click to the next Hires image in full screen mode without going back to the book.
- The first image pops up a text (title) when the mouse hovers over the image. We declared two languages (German DE and English EN), so in selecting the respective flag you can choose your preferred one.
- On each page we load the background page, to give the book a nicer look and feel.
- Also a video is included.
- The commented page at the end is kept and will be activated if the last image would show up on the inner side of the last hard cover page; which does not look nice.

Hints for the first PageFlip Book (1)

- **Prepare for more than one Book**, so you can grow.
Following the suggested directory structure and doing the described changes you will be prepared and easily can add new books for the same MegaZine3 version without having duplicates of the Binaries.
You also can add a new version without impacting older, existing versions.
- Use **significant names** for your .xml files so you do not mix them up later (do not call all of them megazine.xml!)

Hints for the first PageFlip Book (2)

- Double **check the reference links** in the index files to be sure they point to the right locations:
 - The 1. highlighted link is pointing to the preloader.swf (or megazine.swf if you do not want to use the preloader), based on the location of the respective index file
 - The 2. highlighted link points to the location of your megazine.xml file, in reference and based on where the preloader.swf / megazine.swf file are located.
Pay attention to enter the correct name of the .xml file!
- Keep in mind that your server could run under Linux and file names are **case sensitive!**
It will be best to only use lower case letters. If you mix them with capital letters there is a high chance you later use different writings and wonder why files cannot be found and the engine does not work!


How to get the PageFlip working

- If all went well, a click or double click on the index file should open your browser and present the selected book.
On your local PC, without the need of a server.
- If it does not, please follow the following steps, which are a standard approach to test and debug your framework

Testing... the XML file

Validate your xml file

- Open a window with <http://www.validome.org/xml/>
- Copy all (cntr A) of your xml file and paste it into the source code box of Validome
- Hit the button „validate“ and read the very detailed error message if validation fails.
- Repeat above steps until you see the green bar telling you your xml is valid.



XML-Validator

validome

Forum | Ressourcen | Sidebar | Technologien | Bugmeldung | Kontakt | About | Weblog |

Quelle
URL
http://

Upload

Quellcode

```
<?xml version="1.0" encoding="utf-8"?>
<!DOCTYPE book
SYSTEM "http://megazine.mightypirates.de/megazine.dtd">
```

Quellcode anzeigen Nur auf Wohlgeformtheit prüfen

Das Dokument ist nicht valide.

Validierte Dateien

	Dateiname	Zeichenkodierung	Quelle
1	SOURCECODE	UTF-8	XML-Deklaration
2	http://megazine.mightypirates.de/megazine.dtd	UTF-8	Fallback

Fehler (1)

Zeile	Dateiname:	Spalte:	Fehler:	Fehlerstelle:
41	Nicht vorhanden	5	Elemententyp "page" muss mit dem passenden Endtag "<->" geschlossen werden.	</chapter>

Das Dokument ist valide.

Overcome Flash Security Issues

- If not even the Preloader Image shows up, you most probably have a Flash Security Issue.
- Open this webpage in your browser: http://www.macromedia.com/support/documentation/de/flashplayer/help/settings_manager04.html and add the location of your PageFlip Book (like „mybooks“ in this example) to the list and make it „always accept“

Home Support Dokumentation Flash Player-Dokumentation Hilfe zu Flash Player

Hilfe zu Flash Player

Globale Sicherheitseinstellungen

INHALTSVERZEICHNIS

- Hilfe zu Flash Player
- Einstellungsmanager
 - Globale Zugriffsschutzeinstellungen
 - Globale Speichereinstellungen
 - Globale Sicherheitseinstellungen**
 - Globale Benachrichtigungseinstellungen
- Website-Zugriffsschutzeinstellungen
- Website-Speichereinstellungen

Anzeigeeinstellungen
Einstellungen für lokalen Speicher
Mikrofoneinstellungen
Kameraeinstellungen
Zugriffsschutzeinstellungen

instellungsmanager für Adobe Flash Player™

Globale Sicherheitseinstellungen

Einige Websites verwenden u. U. ein älteres Sicherheitssystem, um auf Daten von anderen Sites zuzugreifen. Dies ist in der Regel unproblematisch, kann aber dazu führen, dass eine Site unberechtigterweise auf Daten zugreifen kann. Wie soll vorgegangen werden, wenn eine Website ein älteres System verwendet, um auf Daten zuzugreifen?

Immer fragen
 Immer zulassen
 Immer verweigern

Diesen Dateien und Ordnern immer vertrauen:

- Z:\megazine+Webpages\Webpages\doc.vservu.de\...\my-books


Hinweis: Der Einstellungsmanager, den Sie oben sehen, ist kein Bild, sondern der Einstellungsmanager selbst. Ihre Einstellungen nehmen Sie direkt in den Bedienfeldern dieses Einstellungsmanagers vor. Die einzelnen Bedienfelder

Use the MegaZine3 Console

- If the book finally opens, but there's missing something (like images, background, ...), call the console in hitting the „#“ key when Flash has the focus
- If hitting „#“ does not work, then first click somewhere into the book without activating anything and then try again.
- The console will e.g. tell you what files are missing

```

Very Simple Console [Version 1.12]
(C) Copyright 2007-2009 Florian Nüecke.
Type "help" for command listing.
** [01:45:17] [ MegaZine ] System: MegaZine Version 1.38 initialized.
** [01:45:17] [ MegaZine ] Notice: Begin loading XML data from file 'file:///Z.../mybook1/megazine1-1.xml'.
** [01:45:17] [ MegaZine ] Notice: XML loaded successfully.
** [01:45:17] [ MegaZine ] Notice: Begin parsing XML data.
** [01:45:17] [ MegaZine ] Notice: Parsing settings...
** [01:45:17] [ MegaZine Settin] System: Disabling notices.
  
```



Final Result: the flipping Book



You can go online to work with this book:
[Sample Book "my-book1-1"](#)

For more Tutorials, FAQs and hints please visit the Forum at:

[MegaZine3 Forum](#)

And for those who read to the very end, here the complete package with all files!

[Framework and sample Book V1.38](#)

